

CROSSIN TITAN X35 POLY

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

Date of issue : 2026-07-29

Date of revision : 2026-08-06

Version : 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Product name : CROSSIN TITAN X35 POLY

Chemical name : Not available.

EC number : Mixture.

Other means of identification : Not applicable.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
For the production of rigid polyurethane foams.	
Uses advised against	Reason
Not determined.	Not determined.

1.3 Details of the supplier of the safety data sheet

PCC Prodex Sp. z o.o., ul. Sienkiewicza 4, 56-120 Brzeg Dolny, Poland

Phone: (+48) 71 794 3413

e-mail address of person responsible for this SDS : prodex@pcc.eu

1.4 Emergency telephone number**National advisory body/Poison Center**

Telephone number : Not available.

Supplier

Telephone number : Telephone: +48 71 794 2555, +48 71 794 2441 (available 24h/day) or +48 71 794 2690 (fax) at PCC Rokita SA or the closest local Fire Brigade

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315

Eye Dam. 1, H318

Skin Sens. 1, H317

Carc. 2, H351 (oral)

Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

2.2 Label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H351 - Suspected of causing cancer. (oral)
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

: P201 - Obtain special instructions before use.
P280 - Wear protective gloves, protective clothing, eye protection, face protection, or hearing protection.
P273 - Avoid release to the environment.
P261 - Avoid breathing vapor.
P264 - Wash thoroughly after handling.

Response

: P302 + P352 - IF ON SKIN: Wash with plenty of water.
P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.
P305 + P351 + P338, P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor.

Storage

: Not applicable.

Disposal

: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazardous ingredients

: Reaction products of phosphoryl trichloride and 2-methyloxirane
Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol
2-[[2-(dimethylamino)ethyl]methylamino]ethanol
2-[2-(dimethylamino)ethoxy]ethan-1-ol
Dibutyltin dilaurate

Supplemental label elements

: Not applicable.

2.3 Other hazards

Results of PBT and vPvB assessment

: This mixture does not contain any substances that are assessed to be a PBT or a vPvB at a concentration $\geq 0.1\%$ (w/w).

Other hazards which do not result in classification

: The product does not contain components included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, and identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration $\geq 0.1\%$ (w/w).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Type
Reaction products of phosphoryl trichloride and 2-methyloxirane	REACH #: 01-2119486772-26 EC: 807-935-0 CAS: 1244733-77-4	≥ 12 - ≤ 22	Acute Tox. 4, H302 Carc. 2, H351 (oral) Aquatic Chronic 3, H412	ATE [Oral] = 632 mg/kg	[1]
Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol	REACH #: 01-2119972945-20 EC: 701-426-6 CAS: 68610-97-9	>4 - <11	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 2, H411	-	[1]

2-[[2-(dimethylamino)ethyl]methylamino]ethanol	REACH #: 01-2120759334-51 EC: 218-658-4 CAS: 2212-32-0	≥0,2 - ≤2,2	Skin Corr. 1C, H314 Eye Dam. 1, H318	-	[1]
2-[2-(dimethylamino)ethoxy]ethan-1-ol	REACH #: 01-2119976346-26 EC: 216-940-1 CAS: 1704-62-7	≥0,2 - ≤2	Acute Tox. 4, H312 Skin Corr. 1C, H314 Eye Dam. 1, H318	ATE [Dermal] = 1100 mg/kg	[1]
Dibutyltin dilaurate	REACH #: 01-2119496068-27 EC: 201-039-8 CAS: 77-58-7	≥0,01 - ≤0,2	Eye Irrit. 2, H319 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360FD STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 See Section 16 for the full text of the H statements declared above.	M [Acute] = 1 M [Chronic] = 1	[1]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
- Inhalation** : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:
pain
watering
redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur

Ingestion : Adverse symptoms may include the following:
stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire. Use dry chemical, CO₂, alcohol-resistant foam or water spray (fog).

Unsuitable extinguishing media : Avoid heavy hose streams.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous combustion products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide (CO)
nitrogen oxides

5.3 Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

- 6.4 Reference to other sections** : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.
See Section 15 for additional Regulatory information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 10 to 25°C (50 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

- Recommendations** : No information available on uses other than those mentioned in subsection 1.2.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
Not established exposure limit value.	

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Result
Reaction products of phosphoryl trichloride and 2-methyloxirane	DNEL - General population - Long term - Oral 0,52 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - General population - Long term - Dermal 1,04 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - General population - Long term - Inhalation 1,45 mg/m³ <u>Effects:</u> Systemic
	DNEL - General population - Short term - Oral 2 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - Workers - Long term - Dermal 2,91 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - General population - Short term - Inhalation 5,6 mg/m³ <u>Effects:</u> Systemic
	DNEL - Workers - Long term - Inhalation 8,2 mg/m³ <u>Effects:</u> Systemic
	DNEL - Workers - Short term - Inhalation 22,6 mg/m³ <u>Effects:</u> Systemic
	DNEL - General population - Long term - Oral 0,52 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - General population - Long term - Dermal 1,04 mg/kg bw/day <u>Effects:</u> Systemic

	DNEL - General population - Long term - Inhalation 1,45 mg/m ³ <u>Effects:</u> Systemic
	DNEL - General population - Short term - Oral 2 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - Workers - Long term - Dermal 2,91 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - General population - Short term - Inhalation 5,6 mg/m ³ <u>Effects:</u> Systemic
	DNEL - Workers - Long term - Inhalation 8,2 mg/m ³ <u>Effects:</u> Systemic
	DNEL - Workers - Short term - Inhalation 22,6 mg/m ³ <u>Effects:</u> Systemic
Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'- iminodiethanol	DNEL - General population - Long term - Oral 0,9 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - General population - Long term - Dermal 0,9 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - General population - Long term - Inhalation 1,6 mg/m ³ <u>Effects:</u> Systemic
	DNEL - Workers - Long term - Dermal 2,2 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - Workers - Long term - Inhalation 7,7 mg/m ³ <u>Effects:</u> Systemic
2-[[2-(dimethylamino)ethyl]methylamino] ethanol	DNEL - General population - Long term - Oral 0,167 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - General population - Long term - Dermal 0,167 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - General population - Long term - Inhalation 0,29 mg/m ³ <u>Effects:</u> Systemic
	DNEL - Workers - Long term - Dermal 0,333 mg/kg bw/day <u>Effects:</u> Systemic
	DNEL - Workers - Long term - Inhalation 1,175 mg/m ³ <u>Effects:</u> Systemic
2-[2-(dimethylamino)ethoxy]ethan-1-ol	DNEL - Workers - Long term - Inhalation 24,7 mg/m ³ <u>Effects:</u> Systemic

Dibutyltin dilaurate

DNEL - Workers - Long term - Dermal

4,9 mg/kg bw/day

Effects: Systemic

DNEL - General population - Long term - Oral

1,25 mg/kg bw/day

Effects: Systemic

DNEL - Workers - Long term - Dermal

4,9 mg/kg bw/day

Effects: Systemic

DNEL - Workers - Long term - Inhalation

24,7 mg/m³

Effects: Systemic

DNEL - General population - Long term - Oral

0,0031 mg/kg bw/day

Effects: Systemic

DNEL - General population - Long term - Inhalation

0,0046 mg/m³

Effects: Systemic

DNEL - General population - Short term - Oral

0,02 mg/kg bw/day

Effects: Systemic

DNEL - Workers - Long term - Inhalation

0,02 mg/m³

Effects: Systemic

DNEL - General population - Short term - Inhalation

0,04 mg/m³

Effects: Systemic

DNEL - Workers - Short term - Inhalation

0,059 mg/m³

Effects: Systemic

DNEL - General population - Long term - Dermal

0,16 mg/kg bw/day

Effects: Systemic

DNEL - Workers - Long term - Dermal

0,43 mg/kg bw/day

Effects: Systemic

DNEL - General population - Short term - Dermal

0,5 mg/kg bw/day

Effects: Systemic

DNEL - Workers - Short term - Dermal

2,08 mg/kg bw/day

Effects: Systemic

PNECs

Product/ingredient name

Reaction products of phosphoryl trichloride
and 2-methyloxirane

Result

Fresh water - Assessment Factors

0,32 mg/l

Marine water - Assessment Factors

0,032 mg/l

Fresh water sediment - Equilibrium Partitioning

11,5 mg/kg

Marine water sediment - Equilibrium Partitioning

Propoxylated reaction products of phenol,
4-nonyl-, branched and formaldehyde and
2,2'- iminodiethanol

1,15 mg/kg

Sewage Treatment Plant - Assessment Factors

19,1 mg/l

Soil - Assessment Factors

0,34 mg/kg

Secondary Poisoning - Assessment Factors

11,6 mg/kg

Fresh water - Assessment Factors

5,6 µg/l

Marine water - Assessment Factors

0,56 µg/l

Fresh water - Equilibrium Partitioning

0,102 mg/kg

Marine water - Equilibrium Partitioning

0,0102 mg/kg

Sewage Treatment Plant - Assessment Factors

3,14 mg/l

Soil - Equilibrium Partitioning

0,0171 mg/kg dwt

Marine water

5,4 µg/l

Fresh water

54 µg/l

Fresh water sediment

0,222 mg/kg

Soil

0,013 mg/kg

Marine water sediment

0,022 mg/kg

Sewage Treatment Plant

1 mg/l

2-[[2-(dimethylamino)ethyl]methylamino]
ethanol

Fresh water - Assessment Factors

0,1 mg/l

Marine water - Assessment Factors

0,01 mg/l

Sewage Treatment Plant - Assessment Factors

100 mg/l

Fresh water sediment - Equilibrium Partitioning

0,75 mg/kg dwt

Marine water sediment - Equilibrium Partitioning

0,075 mg/kg dwt

Soil - Equilibrium Partitioning

0,091 mg/kg dwt

2-[2-(dimethylamino)ethoxy]ethan-1-ol

Fresh water

0 mg/l

Marine water

Dibutyltin dilaurate

0 mg/l

Sewage Treatment Plant

100 mg/l

Marine water sediment

0,005 mg/kg

Fresh water sediment

0,05 mg/kg

Soil

0,041 mg/kg

8.2 Exposure controls

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical product, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Wear suitable gloves tested to EN374. In case of a long-term direct exposure, nitrile gloves >0.4 mm thick, of minimum time of penetration 480 min should be used. In a case of a short-term direct exposure, nitrile gloves >0.2 mm thick, of minimum time of penetration 30 min should be used. Remember that a breakthrough time for a material that the gloves are made of may be different for different manufacturers.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Lab coat

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid.
Color : Yellow-green
Odor : Amine.

Melting point/freezing point	: Lack of data.
Initial boiling point and boiling range	: Lack of data.
Flammability	: Lack of data.
Lower and upper explosion limit	: Lack of data.
Flash point	: Lack of data.
Auto-ignition temperature	: Lack of data.
Decomposition temperature	: Lack of data.
pH	: 9 to 10
Viscosity	: Dynamic (room temperature): 900 to 1500 mPa·s Kinematic (room temperature): Lack of data. Kinematic (40°C): Lack of data.
Solubility(ies)	:
Lack of data.	
Solubility in water	: Lack of data.
Partition coefficient: n-octanol/ water	: Not applicable.
Vapor pressure	: Lack of data.
Relative density	: Lack of data.
Density	: 1,18 to 1,2 g/cm ³ [20°C (68°F)]
Vapor density	: Lack of data.
<u>Particle characteristics</u>	
Median particle size	: Not applicable.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties : Lack of data.

Oxidizing properties : Lack of data.

9.2.2 Other safety characteristics

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity	: Under normal conditions the product is not reactive.
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Protect from sunlight and store in well-ventilated place. During storage avoid temperatures outside the range specified in section 7.2. Avoid all possible sources of ignition (spark or flame).
10.5 Incompatible materials	: isocyanate
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name

Reaction products of phosphoryl trichloride and 2-methyloxirane

Result

Rat - Female - Oral - LD50

632 mg/kg

Rat - Male - Oral - LD50

<2000 mg/kg

Rat - Oral - NOAEL

200 mg/kg

Rat - Male, Female - Dermal - LD50

>2000 mg/kg

OECD TG 402 [Acute Dermal Toxicity]

Rat - Male, Female - Inhalation - LC50 Dusts and mists

>4,6 mg/l [4 hours]

2-[[2-(dimethylamino)ethyl]methylamino]ethanol

Rat - Oral - LD50

2570 mg/kg

Rabbit - Dermal - LD50

>2000 mg/kg

Dibutyltin dilaurate

Rat - Dermal - LD50

>2000 mg/kg

OECD 402

Rat - Oral - LD50

175 mg/kg

Conclusion/Summary [Product] : No known significant effects or critical hazards.

Ingredient name

Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol

Conclusion/Summary

Based on available data, the classification criteria are not met.

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
CROSSIN TITAN X35 POLY	2872,7	55000,0	N/A	N/A	N/A
Reaction products of phosphoryl trichloride and 2-methyloxirane	632	N/A	N/A	N/A	N/A
2-[[2-(dimethylamino)ethyl]methylamino]ethanol	2570	N/A	N/A	N/A	N/A
2-[2-(dimethylamino)ethoxy]ethan-1-ol	N/A	1100	N/A	N/A	N/A

Skin corrosion/irritation

Product/ingredient name

Reaction products of phosphoryl trichloride and 2-methyloxirane

Result

Rabbit - Skin - Not irritant

OECD TG 404

Observation period: 72 hours

Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol

Rabbit - Skin - Erythema/Eschar

OECD [Acute Dermal Irritation/Corrosion]

Duration of treatment/exposure: 72 hours

Amount/concentration applied: 0.5 mL

Observation period: 72 hours

Irritation score: 3

Fully reversible in more than 7 days

2-[2-(dimethylamino)ethoxy]ethan-1-ol

Rabbit - Skin - Mild irritant

Duration of treatment/exposure: 24 hours

Amount/concentration applied: 500 mg

Rabbit - Skin - Moderate irritant

Duration of treatment/exposure: 264 hours

Amount/concentration applied: 100 mg l

Dibutyltin dilaurate

Rabbit - Skin - Severe irritant

Amount/concentration applied: 500 mg

Conclusion/Summary [Product] : Irritating to skin.

Ingredient name

2-[[2-(dimethylamino)ethyl]methylamino]
ethanol

Conclusion/Summary

Corrosive to the skin.

Serious eye damage/eye irritation

Product/ingredient name

Reaction products of phosphoryl trichloride
and 2-methyloxirane

Result

Rabbit - Eyes - Not irritant

OECD

Observation period: 72 hours

Propoxylated reaction products of phenol,
4-nonyl-, branched and formaldehyde and
2,2'-iminodiethanol

Rabbit - Eyes - Redness of the conjunctivae

OECD [Acute Eye Irritation/Corrosion]

Duration of treatment/exposure: 72 hours

Amount/concentration applied: 0.1 mL

Observation period: 7 days

Irritation score: ≥2

Fully reversible in 7 days or less

2-[2-(dimethylamino)ethoxy]ethan-1-ol

Rabbit - Eyes - Severe irritant

Duration of treatment/exposure: 24 hours

Amount/concentration applied: 750 ug

Dibutyltin dilaurate

Rabbit - Eyes - Moderate irritant

Duration of treatment/exposure: 24 hours

Amount/concentration applied: 100 mg

Conclusion/Summary [Product] : Will cause serious damage to the eyes.

Ingredient name

2-[[2-(dimethylamino)ethyl]methylamino]
ethanol

Conclusion/Summary

Risk of serious damage to eyes.

Respiratory corrosion/irritation

Conclusion/Summary [Product] : No known significant effects or critical hazards.

Respiratory or skin sensitization

Product/ingredient name

Reaction products of phosphoryl trichloride
and 2-methyloxirane

Result

Mouse - skin

OECD TG 429

Not sensitizing

Propoxylated reaction products of phenol,
4-nonyl-, branched and formaldehyde and
2,2'-iminodiethanol

Mouse - skin

OECD [Skin Sensitization: Local Lymph Node Assay]

Sensitizing

2-[[2-(dimethylamino)ethyl]methylamino]
ethanol

Guinea pig - skin

OECD 406

Not sensitizing

Skin

Conclusion/Summary [Product] : May cause skin sensitization.

Ingredient name

2-[[2-(dimethylamino)ethyl]methylamino]
ethanol

Conclusion/Summary

Non-sensitizer.

Respiratory

Conclusion/Summary [Product] : No known significant effects or critical hazards.

Germ cell mutagenicity

Product/ingredient name

Reaction products of phosphoryl trichloride
and 2-methyloxirane

Result

In vitro - Bacteria

OECD 471

Result: Negative

In vitro - Mammalian-Animal

OECD 476

Result: Positive

In vivo - Mammalian-Animal

OECD 489

Result: Negative

Propoxylated reaction products of phenol,
4-nonyl-, branched and formaldehyde and
2,2'- iminodiethanol

In vitro - Bacteria

OECD [Bacterial Reverse Mutation Test]

Result: Negative

In vitro - Mammalian-Animal

OECD [In vitro Mammalian Cell Gene Mutation Test]

Result: Negative

2-[[2-(dimethylamino)ethyl]methylamino]
ethanol

In vitro - Bacteria

OECD 471

Result: Negative

In vitro - Mammalian-Animal

OECD 473

Result: Negative

In vitro - Mammalian-Animal

OECD 490

Result: Negative

Conclusion/Summary [Product] : No known significant effects or critical hazards.

Ingredient name

Propoxylated reaction products of phenol,
4-nonyl-, branched and formaldehyde and
2,2'- iminodiethanol

Conclusion/Summary

Based on available data, the classification criteria are not met.
No mutagenic effect.

Carcinogenicity

Product/ingredient name

Reaction products of phosphoryl trichloride
and 2-methyloxirane

Result

Mouse - Oral - NOAEL

329 [2 years]

Result: Positive

Conclusion/Summary [Product] : Suspected of causing cancer if swallowed.

Ingredient name

Reaction products of phosphoryl trichloride
and 2-methyloxirane
Propoxylated reaction products of phenol,
4-nonyl-, branched and formaldehyde and
2,2'- iminodiethanol

Conclusion/Summary

Suspected of causing cancer if swallowed (National
Toxicology Programme, 2023).
No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient name

Reaction products of phosphoryl trichloride and 2-methyloxirane

Result**Rat - Oral**

Fertility effects: Negative

Rabbit - Oral

Developmental: Negative

Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol

Rat - Male, Female - Oral

OECD [Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test]

500 mg/kg

Fertility effects: Negative

Rat - Oral

OECD [Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test]

200 mg/kg

Developmental: Negative

Conclusion/Summary [Product] : No known significant effects or critical hazards.

Ingredient name

Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol

Conclusion/Summary

Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)**Product/ingredient name**

Dibutyltin dilaurate

Result

STOT SE 1, H370

Specific target organ toxicity (repeated exposure)**Product/ingredient name**

Dibutyltin dilaurate

Result

STOT RE 1, H372

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely routes of exposure

Routes of entry anticipated: Oral, Dermal, Eyes.

Potential acute health effects

- Eye contact** : Causes serious eye damage.
Inhalation : No known significant effects or critical hazards.
Skin contact : Causes skin irritation. May cause an allergic skin reaction.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
 pain
 watering
 redness
Inhalation : No specific data.
Skin contact : Adverse symptoms may include the following:
 pain or irritation
 redness
 blistering may occur
Ingestion : Adverse symptoms may include the following:
 stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

Potential immediate effects : Irritating to eyes and skin. Causes serious eye damage. May cause an allergic skin reaction.

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate effects : Irritating to eyes and skin. Causes serious eye damage. May cause an allergic skin reaction.

Potential delayed effects : No known significant effects or critical hazards.

Potential chronic health effects

Product/ingredient name

Reaction products of phosphoryl trichloride and 2-methyloxirane

Result

Sub-chronic - Rat - Oral - LOAEL

52 mg/kg [13 weeks]

Sub-chronic - Rat - Oral - NOAEL

EU B.7

100 mg/kg [28 days]

Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol

Sub-chronic - Rat - Male, Female - Oral - NOAEL

Repeated Dose 90-Day Oral Toxicity Study in Rodents

37,5 mg/kg [90 days]

Conclusion/Summary [Product] : No known significant effects or critical hazards.

Ingredient name

Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol

Conclusion/Summary

Based on available data, the classification criteria are not met.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity : Suspected of causing cancer if swallowed. Risk of cancer depends on duration and level of exposure.

Mutagenicity : No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Conclusion/Summary [Product] : The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

Ingredient name

Reaction products of phosphoryl trichloride and 2-methyloxirane

Conclusion/Summary

The Substance is under assessment as Endocrine Disrupting (ED list).

11.2.2 Other information

No additional information.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name

Reaction products of phosphoryl trichloride and 2-methyloxirane

Result

Acute - LC50 - Fresh water

Fish - *Pimephales promelas*

51 mg/l [96 hours]

Acute - EC50 - Fresh water

Daphnia - *Daphnia magna*

131 mg/l [48 hours]

Chronic - NOEC - Fresh water

OECD

Daphnia - *Daphnia magna*

32 mg/l [21 days]

EC50 - Fresh water

OECD

Algae - *Pseudokirchnerella subcapitata*

	82 mg/l [72 hours]
	NOEC - Fresh water OECD Algae - <i>Pseudokirchnerella subcapitata</i> 13 mg/l [72 hours]
	EC50 - Fresh water ISO 8192 Micro-organism 784 mg/l [3 hours]
	EC10 - Fresh water ISO 8192 Micro-organism 191 mg/l [3 hours]
Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol	Acute - EC50 - Fresh water OECD [Daphnia sp. Acute Immobilization Test and Reproduction Test] Daphnia - <i>Daphnia magna</i> 6,5 mg/l [48 hours]
	EC50 - Fresh water OECD [Alga, Growth Inhibition Test] Algae - <i>Pseudokirchnerella subcapitata</i> 5,6 mg/l [72 hours]
	EC10 - Fresh water OECD [Alga, Growth Inhibition Test] Algae - <i>Pseudokirchnerella subcapitata</i> 3,5 mg/l [72 hours]
	EC50 - Fresh water OECD [Activated Sludge, Respiration Inhibition Test] Micro-organism - Activated sludge 114,2 mg/l [3 hours]
	EC10 - Fresh water OECD [Activated Sludge, Respiration Inhibition Test] Aquatic plants 31,4 mg/l [3 hours]
	LC50 - Fresh water OECD [Fish, Acute Toxicity Test] Fish - <i>Brachydanio rerio</i> 8,8 mg/l [96 hours]
2-[[2-(dimethylamino)ethyl]methylamino] ethanol	Acute - LC50 Fish - <i>Oncorhynchus mykiss</i> >54 mg/l [96 hours]
	Acute - EC50 Daphnia >100 mg/l [48 hours]
	Chronic - EC50 Algae - <i>Pseudokirchneriella subcapitata</i> 54 mg/l [72 hours]
	Chronic - NOEC Algae - <i>Pseudokirchneriella subcapitata</i> 32 mg/l [72 hours]
Dibutyltin dilaurate	LC50 Fish >3,1 mg/l [96 hours]

EC50

Daphnia - *Daphnia magna*
<1 mg/l [48 hours]

EC50

OECD 201
Algae
>1 mg/l [72 hours]

Chronic - EC10 - Fresh water

Algae - Green algae - *Desmodesmus subspicatus*
>2 mg/l [96 hours]
Effect: Histology

Conclusion/Summary [Product] : Harmful to aquatic life with long lasting effects.

Ingredient name

Propoxylated reaction products of phenol,
4-nonyl-, branched and formaldehyde and
2,2'- iminodiethanol

Conclusion/Summary

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability**Product/ingredient name**

Reaction products of phosphoryl trichloride
and 2-methyloxirane

Result**Aerobic**

OECD TG 301 E
14% [28 days] - Not readily

Aerobic

OECD TG 302 A
95% [64 days] - Inherent

Aerobic

EU C.6
71% [84 days] - Not readily

Aerobic

EU C.6
13% [28 days] - Not readily

Propoxylated reaction products of phenol,
4-nonyl-, branched and formaldehyde and
2,2'- iminodiethanol

3 mg/l

OECD [Ready Biodegradability - Closed Bottle Test]
8,9% [28 days] - Not readily

2-[[2-(dimethylamino)ethyl]methylamino]
ethanol

OECD 301 A
<10% [28 days] - Not readily

2-[2-(dimethylamino)ethoxy]ethan-1-ol

OECD 302B
20% [28 days]

OECD 301F
2% [28 days]

Conclusion/Summary [Product] : Lack of data.

Ingredient name

Propoxylated reaction products of phenol,
4-nonyl-, branched and formaldehyde and
2,2'- iminodiethanol

Conclusion/Summary

Not readily biodegradable.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Reaction products of phosphoryl trichloride and 2-methyloxirane	>365 days [Fresh water] [pH 4] [50 °C]	50%; 0,358 day(s)	Inherent
	>365 days [Fresh water] [pH 7] [50 °C]		
	>365 days [Fresh water] [pH 9] [50 °C]		

Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol	-	-	Not readily
2-[[2-(dimethylamino)ethyl]methylamino]ethanol	-	-	Not readily
2-[2-(dimethylamino)ethoxy]ethan-1-ol	-	-	Not readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Reaction products of phosphoryl trichloride and 2-methyloxirane	2,68	0,8 to 14	Low
2,2'-oxybisethanol	-1,98	100	Low
ethane-1,2-diol	-1,36	-	Low

12.4 Mobility in soil

Soil/Water partition coefficient

Product/ingredient name	logKoc	Koc
Reaction products of phosphoryl trichloride and 2-methyloxirane	2,5	324,2
2-[[2-(dimethylamino)ethyl]methylamino]ethanol	1,9	86,6545
2-[2-(dimethylamino)ethoxy]ethan-1-ol	1,5	35,4241

Results of PMT and vPvM assessment

Product/ingredient name	PMT	P	M	T	vPvM	vP	vM
Reaction products of phosphoryl trichloride and 2-methyloxirane	No	Yes	Yes	No	No	Yes	No
Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol	No	No	No	No	No	No	No
2-[[2-(dimethylamino)ethyl]methylamino]ethanol	No	No	No	No	No	No	No
2-[2-(dimethylamino)ethoxy]ethan-1-ol	No	N/A	Yes	No	N/A	N/A	Yes
Dibutyltin dilaurate	No	No	No	No	No	No	No

Mobility : Lack of data.

Conclusion/Summary : The product does not meet the criteria to be considered as a PMT or vPvM.

12.5 Results of PBT and vPvB assessment

Regulation (EC) No. 1907/2006 [REACH]

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
Reaction products of phosphoryl trichloride and 2-methyloxirane	No	Yes	No	No	No	Yes	No
Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol	No	N/A	N/A	No	N/A	N/A	N/A
2-[[2-(dimethylamino)ethyl]methylamino]ethanol	No	N/A	N/A	No	N/A	N/A	N/A
2-[2-(dimethylamino)ethoxy]ethan-1-ol	No	N/A	N/A	No	N/A	N/A	N/A
Dibutyltin dilaurate	No	N/A	No	Yes	No	N/A	No

Regulation (EC) No. 1272/2008 [CLP]

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
Reaction products of phosphoryl trichloride and 2-methyloxirane	No	Yes	No	No	No	Yes	No
Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol	No	No	No	No	No	No	No
2-[[2-(dimethylamino)ethyl]methylamino]ethanol	No	No	No	No	No	No	No
2-[2-(dimethylamino)ethoxy]ethan-1-ol	No	N/A	N/A	No	N/A	N/A	N/A
Dibutyltin dilaurate	No	No	No	No	No	No	No

Conclusion/Summary Regulation (EC) No. 1272/2008 [CLP] : The product does not meet the criteria to be considered as a PBT or vPvB.

12.6 Endocrine disrupting properties

Conclusion/Summary [Product] : The product does not contain components included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, and identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration $\geq 0.1\%$ (w/w).

Ingredient name

Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol

Conclusion/Summary

The product does not contain components included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, and identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration $\geq 0.1\%$ (w/w).

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional or local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Hazardous waste : Yes.

European waste catalogue (EWC)

Waste code	Waste designation
16 03 05*	organic wastes containing hazardous substances

Packaging

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Type of packaging	European waste catalogue (EWC)
Barrel	15 01 10* packaging containing residues of or contaminated by hazardous substances
Intermediate Bulk Container (IBC)	15 01 10* packaging containing residues of or contaminated by hazardous substances

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number or ID number	Not regulated.	9006	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction products of phosphoryl trichloride and 2-methyloxirane, Propoxylated reaction products of phenol, 4-nonyl-, branched and formaldehyde and 2,2'-iminodiethanol)	-	-
14.3 Transport hazard class(es)	-	9	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	Yes.	No.	No.

ADN

: The product is only regulated as a dangerous good when transported in tank vessels.

IATA

: The environmentally hazardous substance mark may appear if required by other transportation regulations.

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

: Not regulated.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**EU Regulation (EC) No. 1907/2006 (REACH)****Annex XIV - List of substances subject to authorization****Annex XIV**

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name		
CROSSIN TITAN X35 POLY	≥90	3
octamethylcyclotetrasiloxane	<0,01	70

Labeling : Not applicable.

Other EU regulations

DIRECTIVE 2008/68/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 24 September 2008 on the inland transport of dangerous goods (ADR, ADN, RID)
IATA /International Air Transport Association/ Dangerous Goods Regulations (ICAO/IATA DGR)
International Maritime Dangerous Goods Code (IMDG CODE)

Explosives precursors : Not applicable.
(1148/2019/EU)

Ozone depleting substances (EU 2024/590)

Not listed.

Prior Informed Consent (PIC) (EU 2012/649)

Annex	Ingredient name	Status
Annex I - Part 1	Dibutyltin compounds	Listed

Persistent Organic Pollutants (EU 2019/1021)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

15.2 Chemical Safety Assessment : No obligation to perform.

SECTION 16: Other information

Changes to the Safety Data Sheet : Not applicable.

Abbreviations and acronyms : ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
AOX = Adsorbable Organically Bound Halogens
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CMR = Carcinogen, Mutagen or Reproductive toxicant
CSA = Chemical Safety Assessment
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EC number = EINECS or ELINCS number
EC50 = Half maximal effective concentration
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
H statement = CLP/GHS Hazard statement
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IC50 = Half maximal inhibitory concentration
IMDG = International Maritime Dangerous Goods
LC50 = Median lethal concentration
LD50 = Median lethal dose
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
N/A = Not available
OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic
 PNEC = Predicted No Effect Concentration
 R phrase = DSD/DPD Risk phrase
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 Regulation [Regulation (EC) No. 1907/2006]
 RID = The Regulations concerning the International Carriage of Dangerous Goods
 by Rail
 RRN = REACH Registration Number
 STOT = Specific Target Organ Toxicity
 SVHC = Substances of Very High Concern
 UN = United Nations
 VOC = Volatile Organic Compound
 vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Justification
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method
Skin Sens. 1, H317	Calculation method
Carc. 2, H351 (oral)	Calculation method
Aquatic Chronic 3, H412	Calculation method

Full text of abbreviated H statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H360FD	May damage fertility. May damage the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Full text of classifications [CLP]

Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 1	AQUATIC HAZARD (LONG-TERM) - Category 1
Aquatic Chronic 2	AQUATIC HAZARD (LONG-TERM) - Category 2
Aquatic Chronic 3	AQUATIC HAZARD (LONG-TERM) - Category 3
Carc. 2	CARCINOGENICITY - Category 2
Eye Dam. 1	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Muta. 2	GERM CELL MUTAGENICITY - Category 2
Repr. 1B	TOXIC TO REPRODUCTION - Category 1B
Skin Corr. 1C	SKIN CORROSION/IRRITATION - Category 1C
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITIZATION - Category 1
Skin Sens. 1A	SKIN SENSITIZATION - Category 1A
STOT RE 1	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1
STOT SE 1	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 1

Training advice : Ensure operatives are trained to minimise exposures.

Notice to reader

The information contained herein is accurate to the latest knowledge and describes the product from the point of view of help and environmental protection as well as safe handling. The information presented in this SDS refers to the technical product only and will not apply to any processed product. Final determination of the suitability of any materials for the chosen application(s) is the sole responsibility of the user"